

**Notice of Allowability**

Application No.

10/604,496

Examiner

Minh D A

Applicant(s)

MILLER ET AL.

Art Unit

2821

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 12/20/04.
2. ☒ The allowed claim(s) is/are 1-25.
3. ☒ The drawings filed on 25 July 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
  1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 1/27/05
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
Don Wong  
Supervisory Patent Examiner  
Technology Center 2800

***Allowable Subject Matter***

1. Claims 1-25 are allowed.

The following is an examiner's statement of reasons for allowance:

The prior art does not teach that, the capacitor, wherein the length of the first and second conductor sections is sufficient to resonate in the FM frequency range and wherein the capacitor has a predetermined value of capacitance to block frequencies in the AM range, and a probe, coplanar with the first loop, connected to the first section, and having sufficient length to effectively enhance AM reception from the first and second conductor sections in combination with all limitations recited in independent claims 1 and 20.

The prior art does not teach that, a coiled probe mounted to the substrate coplanar with the first and second probes, and within the angle formed between the first and second probes, wherein the first and second probes and the coiled probe are each connected to a single feed point and the coiled probe comprises multiple turns, no turn extending beyond the length of either the first or second probes in combination with all limitations recited in independent claim 21.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2821

**Conclusion**

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Edvardsson et al (US 6,204,817) and Wang et al. (US 5,508,710) are cited to show a radio communication device.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Minh A whose telephone number is (571) 272-1817. The examiner can normally be reached on M-F (5:30 –2:30 PM).

If attempts to reach the examiner by telephone is unsuccessful, the examiner's supervisor, Don Wong, can be reached on (571) 272-1834. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9306 for regular communications and (703) 872-9319 for final communications.


Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center receptionist whose telephone number is (571) 272-1553.

Examiner

Minh A

Art unit 2821

1/19/05

  
Don Wong  
Supervisory Patent Examiner  
Technology Center 2800